

## ՆԿԱՐԱԳԻՐ

### առաջարկվող ապրանքի ամբողջական

Աստղիկ Սարգսյան Վահագնի ԱԶ-ն ՀՀՌ-ԷԱՃԱՊԶԲ-22/13 ծածկագրով կազմակերպված էլեկտրոնային աճուրդին մասնակցելու շրջանակում ներկայացնում է իր կողմից առաջարկվող ապրանքի ամբողջական նկարագիրը

Չափաբաժնի համար	Առաջարկվող ապրանքի			
	Ֆիրմային անվանումը	ապրանքային նշանը	արտադրողի անվանումը	տեխնիկական բնութագիրը
5	Intell	Intell	Intell	<p>Six Core Thread 12 channel, LGA 1200 Intel Comet lake 14nm technologies, DMI technologies, Cash 12Mb, 2channel memory, max. memories 128Gb, memory types DDR4 (2133-2666), Turbo Boost up to 4.3GHz, Integrated GPU 350/1050MHz Intel® Graphics UHD 630 4K support at 60Hz, 65Wt Intel 1200s. 10th generation CPU ready, 1xPCI-e 3.0 (16x), 1xPCI-e 3.0 (16x/4x) CrossFireX, 4PCI-e 1x, Gbt. LAN, 2xM.2 (1xSATA &amp; PCI-e 2x, 1xPCI-e 3.0 4x mode), 6xSATA3, SB7.1, 4xDDR4 2133/2666MHz up to 64Gb, 2xUSB3.1, 1xUSB Type-C 5Gb/s port, 4xUSB 2.0, COM header, ATX, HDMI RAM - DDR4 2 x 8Gb 2666 MHz, DDR4 SSD 256Gb M.2 PCI-e NVMe, Read- 1500MB/s (100000 IOPS), Write- 800MB/s (80000 IOPS), 3D NAND: TLS Flash memory component HDD 2Tb 7200rpm 64Mb, HDD SATA3 up to 6.0Gb POWER SUPPLY 400W (real)</p>

				24pin, 5" (12sm) cooler, 20+4pin, 4pin for CPU, 3SATA, 1IDE Case Midl tower, mATX / ATX, Audio, USB 3.0, w/o PSU, black, window, $\geq 192 \times 430 \times 436$ mm, $\geq 5$ kg
--	--	--	--	---





## ПОЛНОЕ ОПИСАНИЕ

### предлагаемого товара

ИП Астгик Саргсян Ваагни в качестве участника в рамках участия в электронном аукционе под кодом ՀՀՌ-ԷԱՃԱՊՁԲ-22/13 ниже представляет полное описание предлагаемого им товара.

Номер лота	Предлагаемый товар			
	фирменное наименование	товарный знак	наименование производителя	технические характеристики
5	Intell	Intell	Intell	Six Core Thread 12 channel, LGA 1200 Intel Comet lake 14nm technologies, DMI technologies, Cash 12Mb, 2channel memory, max. memories 128Gb, memory types DDR4 (2133-2666), Turbo Boost up to 4.3GHz, Integrated GPU 350/1050MHz Intel® Graphics UHD 630 4K support at 60Hz, 65Wt Intel 1200s. 10th generation CPU ready, 1xPCI-e 3.0 (16x), 1xPCI-e 3.0 (16x/4x) CrossFireX, 4PCI-e 1x, Gbt. LAN, 2xM.2 (1xSATA & PCI-e 2x, 1xPCI-e 3.0 4x mode), 6xSATA3, SB7.1, 4xDDR4 2133/2666MHz up to 64Gb, 2xUSB3.1, 1xUSB Type-C 5Gb/s port, 4xUSB 2.0, COM header, ATX, HDMI RAM - DDR4 2 x 8Gb 2666 MHz, DDR4 SSD 256Gb M.2 PCI-e NVMe, Read- 1500MB/s (100000 IOPS), Write- 800MB/s (80000 IOPS), 3D NAND: TLS Flash memory component HDD 2Tb 7200rpm 64Mb, HDD SATA3 up to 6.0Gb POWER SUPPLY 400W (real)

				24pin, 5" (12sm) cooler, 20+4pin, 4pin for CPU, 3SATA, 1IDE Case Midl tower, mATX / ATX, Audio, USB 3.0, w/o PSU, black, window, $\geq 192 \times 430 \times 436$ mm, $\geq 5$ kg
--	--	--	--	---