

## ՆԿԱՐԱԳԻՐ

### առաջարկվող ապրանքի ամբողջական

Իքս-Արթ ՍՊԸ-ն ԱԱԳԼ-ԷԱՃԱՊԶԲ-22/41 ծածկագրով կազմակերպված Էլեկտրոնային աճուրդին մասնակցելու շրջանակում  
Ներկայացնում է իր կողմից առաջարկվող ապրանքի ամբողջական նկարագիրը

Չափաբաժնի համար	Առաջարկվող ապրանքի		
	մակնիշը	արտադրողի անվանումը	տեխնիկական բնութագիրը
1	Supermicro	Supermicro	<p>Supermicro Super Server - SYS-740GP-TNRT 4U Rackmountable Tower Dual Processor (3rd Gen Intel® Xeon®) , Intel (X12DPG-QT6-P; 747BTS-R2K20BP, HF,RoHS/REACH Black) /8x 3.5" hot-swap NVMe/SATA/SAS Support drive bays (10x 2.5" NVMe dedicated) /Network Connectivity: 2x 10GbE BaseT with Intel® X550-AT2 / Supermicro WRRNT (3 YRS LABOR, 3 YRS PARTS, 1 YR CRS UNDER LIMITED WRNTY Complete system with HDD, Memory and CPU installed or JBOD with 25% of Drives) / 2x Supermicro CPU - Intel (ICX 6330 2P 28C/56T 2.0G 42M 11.2GT 205W 4189 D2 ) /Supermicro 12Gb/s Multi-Port SAS PCIe Gen 4.0 Internal Host Bus Adapter -AOC-S3808L-L8iT/ 8x Supermicro Memory (64GB DDR4-3200 2Rx4 LP (16Gb) ECC RDIMM Micron) / 2x Supermicro HDD (Seagate3.5"2TB,SATA6Gb/s,7.2KRPM, 256MB, 512e/4Kn(CimBP) For upside forecast, lead-time 8 weeks &amp; work with PM for allocation) / Supermicro Peripheral (8 int 12Gb/s SAS3 ports, x8 Gen4, HBA - LP,122HDDw/exp,R ) / 2x Supermicro SSD (Micron 5300 PRO 480GB, SATA, 2.5", 3D TLC, 1.5DWPD 2.5") / Supermicro NVIDIA LEADTEK Turing T400 4GB GDDR6 PCIe 3.0x16 / 2x</p>

			Supermicro Spare Parts-1 (2.5" HDD in 6th Generation 3.5" Hot Swap Tray ) /2200W (1+1) Redundant, Titanium / Supermicro Slimline x8 (STR) to 2x Slimline x4 (STR),60/60CM,100 O / Supermicro Spare Parts-1 (RAIL SET+HANDLES, QUICK/QUICK,OPTIONAL FOR 4U 17.2"W TOWER ) / 2x Supermicro Spare Parts-1 (Power Cord Type IEC (C14 to C13) 6 ft (14AWG), 15A, 250V )
--	--	--	---





## ПОЛНОЕ ОПИСАНИЕ

### предлагаемого товара

Икс-Арт ООО в качестве участника в рамках участия в электронном аукционе под кодом ЦЦФЛ-ЕЦХЦПФ-22/41 ниже представляет полное описание предлагаемого им товара.

Номер лота	Предлагаемый товар		
	марка	наименование производителя	технические характеристики
1			