

ՆԿԱՐԱԳԻՐ

առաջարկվող ապրանքի ամբողջական

Ոտոհ-ն ԲԿԳԿ-ԷԱՃԱՊՁԲ-24/79 ծածկագրով կազմակերպված Էլեկտրոնային աճուրդին մասնակցելու շրջանակում ներկայացնում է իր կողմից առաջարկվող ապրանքի ամբողջական նկարագիրը

Չափաբաժնի համար	Առաջարկվող ապրանքի				
	Ֆիրմային անվանումը	ապրանքային նշանը	մակնիշը	արտադրողի անվանումը	տեխնիկական բնութագիրը
1					

ПОЛНОЕ ОПИСАНИЕ

предлагаемого товара

Логан в качестве участника в рамках участия в электронном аукционе под кодом F4F4-FCXCTQF-24/79 ниже представляет полное описание предлагаемого им товара.

Номер лота	Предлагаемый товар				
	фирменное наименование	товарный знак	марка	наименование производителя	технические характеристики
1	Ares	Ares Scientific	Ares	Ares	Operating modes positive/excess and negative/vacuum (-) pressure Pressure difference inside and outside the cage, Pa +20...+50 / -20...-50 Overall dimensions (WxDxH), mm: 450x511x1874 (deviation 15%) Case material steel with polymer coating or equivalent Air duct material stainless steel Exhaust air filter replacement Without contact with the environment Supply air pre-filter Class G4 or equivalent Exhaust air pre-filter Class G4 or equivalent Type of main supply/exhaust air filter HEPA (class H13, H14) Control panel Color touch

screen Interface language English, Russian (optional) Screen diagonal, inch 11-15'6 USB interface available
Can be used with different combinations of cages/rack types: available Flow volume control (supply and exhaust air) Flow speed sensors with display of volume flow rate and air exchange rate on the display Temperature sensor available with display on the display Humidity sensor available with display on the display Bluetooth available Remote equipment control optional SMS notification available Support design 4 swivel wheels, 2 of them with locks Possibility of autonomous operation of the equipment when the power supply is turned off 30 min to 3 hours Power supply 220 V, 50 Hz Weight, kg up to 150 Rack compatible with the system for keeping laboratory mice and rats available Air ducts for connecting the rack and ventilation system available Rack dimensions, (WxHxD), mm: 1400x600x1750 (deviation 15%) Rack material: stainless steel Number of shelves 5 shelves, the possibility of placing 5

				cells on one shelf Number of cells 25 cells (5 rows x 5 cells) Cage size (WxHxD), mm 420x240x240 Cage material Polysulfone Warranty period: at least 1 year
--	--	--	--	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------