

## ՆԿԱՐԱԳԻՐ

### առաջարկվող ապրանքի ամբողջական

ՀԷՔՍԱԴԱ ՍՊԸ-ն ՊԵԿ-ԷԱՃԱՊԶԲ-21/017 ծածկագրով կազմակերպված Էլեկտրոնային աճուրդին մասնակցելու շրջանակում  
 ներկայացնում է իր կողմից առաջարկվող ապրանքի ամբողջական նկարագիրը

Չափաբաժնի համար	Առաջարկվող ապրանքի				
	Ֆիրմային անվանումը	ապրանքային նշանը	մակնիշը	արտադրողի անվանումը	տեխնիկական բնութագիրը
1	Dell EMC	Dell	Dell EMC ME4024/Dell PowerEdge R440	Dell	12x900GB 15K RPM SAS 512n 2.5in Hot-plug HDD/1x580 W RPS/2xC13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord/4x2X SFP, FC16, 16GB/1xRack Rails 2U/1xCNC 8 Port Dual Controller for iSCSI SFP+ and/or FC/ 3 Year / Intel Xeon Gold 5218R (2.1G, 20C/40T, 10.4GT/s, 27.5 Mb Cache)/2x32GB RDIMM, 3200MT/s, Dual Rank/1xPERC H330 RAID Controller, Adapter, Low Profile/2x480GB SSD SATA RI 6Gbps 512 2.5in Hot-plug AG Drive/1xDual, Hot Plug, Redundant Power Supply (1+1), 550W/2xC13 to C14, PDU

				Style, 10 AMP, 6.5 Feet (2m), Power Cord/1xRiser Config 1, 1 x 16 FH/1xiDrac9, Basic/1xDual-Port 1GbE On-Board LOM/1xBroadcom 5720 Dual Port 1 GbE Network LOM Mezz Card/1xEmulex LPE 31002 Dual Port 16Gb Fibre Channel HBA, PCIe Full Height/1xReadyRails Sliding Rails Without Cable Management Arm/3 Year warranty
--	--	--	--	--





## ПОЛНОЕ ОПИСАНИЕ

### предлагаемого товара

ЭКСАДА ООО в качестве участника в рамках участия в электронном аукционе под кодом 764-ЕУХЦ72Р-21/017 ниже представляет полное описание предлагаемого им товара.

Номер лота	Предлагаемый товар				
	фирменное наименование	товарный знак	марка	наименование производителя	технические характеристики
1	Dell EMC	Dell	Dell EMC ME4024/Dell PowerEdge R440	Dell	12x900GB 15K RPM SAS 512n 2.5in Hot-plug HDD/1x580 W RPS/2xC13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord/4x2X SFP, FC16, 16GB/1xRack Rails 2U/1xCNC 8 Port Dual Controller for iSCSI SFP+ and/or FC/ 3 Year / Intel Xeon Gold 5218R (2.1G, 20C/40T, 10.4GT/s, 27.5 Mb Cache)/2x32GB RDIMM, 3200MT/s, Dual Rank/1xPERC H330 RAID Controller, Adapter, Low Profile/2x480GB SSD SATA RI 6Gbps 512 2.5in Hot-plug AG Drive/1xDual, Hot Plug, Redundant Power Supply (1+1), 550W/2xC13 to C14, PDU

				Style, 10 AMP, 6.5 Feet (2m), Power Cord/1xRiser Config 1, 1 x 16 FH/1xiDrac9, Basic/1xDual-Port 1GbE On-Board LOM/1xBroadcom 5720 Dual Port 1 GbE Network LOM Mezz Card/1xEmulex LPE 31002 Dual Port 16Gb Fibre Channel HBA, PCIe Full Height/1xReadyRails Sliding Rails Without Cable Management Arm/3 Year warranty
--	--	--	--	--